

CADVR-8008FD / -16FD /-08FD-H

8 SATA 8-/16- Channel 1080P AHD Digital Video Recorder

The Honeywell Black[™] CADVR-8008FD/16FD/08FD-H is an easy-to-use 1080P 2U digital video recorder series available in 8 and 16 channels. By deploying H.264 video compression, compatibility with AHD analog cameras, 750TVL (or less than 750TVL resolution), and Honeywell Black[™] CALIP series IP cameras, this DVR delivers outstanding video performance for hybrid application of analog and network surveillance.

The user-friendly operation interface with button panel allows users to live view, record, playback, back up and remotely control the system simultaneously. With 8 SATA slot, the maximum storage capacity of the CADVR-8008FD/16FD/08FD-H is up to 48TB.

The CADVR-8008FD/16FD/08FD-H is easy to configure and can be operated through smart phone and internet explorer. The CALNVRView mobile app allows a quick remote access and control to CADVR-8008FD/16FD/-08FD-H via your mobile phone. Free DDNS server service is available to support remote control of the DVR. The CADVR-8008FD/16FD/-08FD-H also comes with a free CMS software CAL-CMS200 which provides rich functions such as video management, user management, storage, video output, etc.

Market Opportunities

TheCADVR-8008FD/16FD/-08FD-H series is an ideal solution for high definition surveillance. With 1080P high resolution recording, compatibility with AHD analog cameras, 750TVL (or less than 750TVL resolution), and Honeywell Black™ CALIP series IP cameras, this easy-to-configure and easy-to-operate DVR series is ideal for small to medium scale surveillance installations such as in retail stores, dispensaries, clinics, offices hotels and so on.

FEATURES

- 1080P high resolution recording
- Button-panel interface for easy operation
- Multiplex recording schedule options: manual, alarm, motion detection, timing
- Multiplex operation: live view, record, play back, backup and remotely control the system simultaneously
- HDMI and VGA output simultaneously at up to1080P resolution
- H.264 High profile decoding
- 8 SATA HDD interface: maximum 48TB storage capacity
- ONVIF 2.0 compliant
- Support remote control through DDNS service by free of charge
- On-line user view: maximum 6 users simultaneously
- CALNVRView: free Android and Apple app for remote playback, record and snapshot through mobile phone
- Multiple network monitoring: CAL-CMS200 (for PC), CALNVRView (for mobile app), IE Web browser
- Power: DC12V

www.black.honeywell.com





CADVR-8008FD / -16FD /-08FD-H

www.black.honeywell.com

8 SATA 8-/16- Channel 1080P AHD Digital Video Recorder

SPECIFICATIONS

| Model | | CADVR-8008FD | CADVR-8016FD | CADVR-8008FD-H |
|---------------------------|------------------------|--|--|---|
| System | Main processor | Huawei Hi 3531 | Hi3531+Hi 3532 | Hi3531+Hi 3532 |
| Video | Video Com- pression | H.264 | H.264 | H.264 |
| | Encode | 8 channels 1080P@15fps | 16 channels 1080P@15fps | 8 channels1080P @25fps (PAL) or 1080P@30fps (NTSC) |
| | Decode | 4 channels 1080P@15fps | 8 channels 1080P@15fps | 4 channels 1080P @25fps (PAL) or 1080P@30fps (NTSC) |
| | Multi-mode | Pure Analog: 8 channels 1080P; 4 channels 1080P; 8 channels 720P; | Pure Analog: 16 channels 1080P; 16 channels720P; | Pure Analog: 8 channels 1080P; 8 chan- |
| | | Mixed: 2 channels 1080P (Analog)+2 channels 1080P (Network); | Mixed:2 channels1080P (Analog)+2 channels 1080P (Network) | nels720P Mixed: 2 channels 1080P (Analog) +2 channels 1080P (Network); Pure Network: 8 channel720P+1 channels 1080P; 4 channels1080P; 20 channels 960H |
| | | 8 channels 720P (Analog) +8 chan- nels 720P (Network) | 4 channels 720P (Analog)+4 chan- nels 720P (Network) | |
| | | Pure Network: 1 channel1080P+8 channels 720P; 4 channels1080P; 20 channels 960H | Pure Network: 1 channels 1080P+8 | |
| Audio | Audio com- pression | G.711A | G.711A | G.711A |
| | Intercom | Support | Support | Support |
| Recording and Playback | Record Mode | Manual>alarm>motion detection>timing | Manual>alarm>motion detection>timing | Manual>alarm>motion detection>timing |
| | Playback Channels | 4 channels 1080P@12fps | 8 channels 1080P@12fps | 4 channels 1080P @25fps (PAL) or 1080P@30fps (NTSC) |
| Storage and Backup | Space Occupa- tion | 960H: 12~20G / day / channel 720P: 20G~30G/ day / channel 1080P:40G~45G / day / channel audio: 691.2M / day / channel | 960H: 12~20G / day / channel 720P: 20G~30G/ day / channel 1080P:40G~45G / day / channel audio: 691.2M / day / channel | 960H: 12~20G / day / channel 720P: 20G~30G/ day / channel 1080P:40G~45G / day / channel audio: 691.2M / day / channel |
| | Backup Mode | Network backup, USB HDD, USB writer, SATA writer | Network backup, USB HDD, USB writer, SATA writer | Network backup, USB HDD, USB writer, SATA writer |
| Interface | Video Input | 8 BNC | 16 BNC | 8 BNC |
| | Video Output | 1channel VGA,1channel HDMI | 1 channel VGA,1 channel HDMI | 1 channel VGA,1 channel HDMI |
| | Audio Input | 8 channels RCA | 16 channels RCA | 8 channels RCA |
| | Audio Output | 1 channel RCA | 1 channel RCA | 1 channel RCA |
| | Alarm Input | 16 | 16 | 16 |
| | Alarm Output | 4 | 4 | 4 |
| | Network Inter- face | RJ45 10M/100M Adaptive Ethernet port | RJ45 10M/100M/1000M Adaptive Ethernet port | RJ45 10M/100M /1000M Adaptive Eth- ernet port |
| | PTZ Control | One RS485, one RS232; support mul- tiple PTZ protocols | One RS485, one RS232; support mul- tiple PTZ protocols | One RS485, one RS232; support multiple PTZ protocols |
| | USB | 2 USB ports | 2 USB ports | 2 USB ports |
| | Hard Disk | 8 SATA (Each maximum support 6T) | 8 SATA (Each maximum support 6T) | 8 SATA (Each maximum support 6T) |
| | Wireless | 3G,WIFI (expand via USB) | 3G,WIFI (expand via USB) | 3G,WIFI (expand via USB) |
| Other | Power | DVR dedicated ATX Power Supply | DVR dedicated ATX Power Supply | DVR dedicated ATX Power Supply |
| | Dimension | 443 (D) x 427.5 (W) x 92 (H) mm | 443 (D) x 427.5 (W) x 92 (H) mm | 443 (D) x 427.5 (W) x 92 (H) mm |
| | | • | | · |

Note: Honeywell reserves the right, without notification, to make changes in product design or specifications



CADVR-8008FD / -16FD /-08FD-H


www.black.honeywell.com

8 SATA 8-/16- Channel 1080P AHD Digital Video Recorder

PACKAGE

| Qty | Components |
|-----|--|
| 1 | 8 SATA 8-/16- Channel 1080P AHD Digital Video Recorder |
| 1 | USB Mouse |
| 1 | User Manual |
| 1 | Power Adapter |
| 1 | Power cable |
| 8 | Install screws |
| 4 | Pad |
| 1 | RS232 interface |
| 1 | Certificate |
| 1 | CD |

DIMENSIONS



FRONT PANEL:



Honeywell Black[™]



CADVR-8008FD / -16FD /-08FD-H

www.black.honeywell.com

8 SATA 8-/16- Channel 1080P AHD Digital Video Recorder

REAR PANEL:



CADVR-8008FD/08FD-H



CADVR-8016FD

ORDERING

| CADVR-8008FD | 8- channel 1080P@12fps 2U DVR, 8 SATA Max 48TB |
|----------------|---|
| CADVR-8016FD | 16- channel 1080P@12fps 2U DVR, 8 SATA Max 48TB |
| CADVR-8008FD-H | 8- channel 1080P @25fps (PAL) or 1080P@30fps (NTSC) 2U DVR, 8 SATA Max 48TB |

For more information:

Security East Asia Security Pacific Security India Security Middle East & N.Africa Security Russia Security China Security Korea

www.black.honeywell.com security.black@honeywell.com

Honeywell Security & Fire

Automation & Control Solutions Honeywell International Inc. www.security.honeywell.com Tel: (852) 2405 2323 Tel: 1300 234 234 Tel: (91) 124 4975000 Tel: (971) 4454 1704 Tel: (7) 495 7979371 Tel: (86) 400 8800 330 Tel: (82) 2799 6114



Dec 2015 © 2015 Honeywell International Inc.